

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	load\$5 with secure with environment with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/04/22 21:55
L3	0	load\$5 with TPM with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/04/22 21:55
L4	5	TPM with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/04/22 21:56
L5	122	(trust\$5 secur\$3) near2 (module platform) with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/04/22 21:57
L6	5	(trust\$5 secur\$3) near2 (module platform) with key with server with load\$5 and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/04/22 21:57
L7	0	(trust\$5 secur\$3) near2 (module platform) with initia \$8 near2 key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/04/22 22:20
L8	7	(trust\$5 secur\$3) near2 (module platform) with initia \$8 with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/04/22 22:20
S1	0	sandbox with execut\$6 with second with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 12:44
S2	11	sandbox with execut\$6 with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 12:46
S3	0	sandbox with re\$encrypt\$5 and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 12:46
S4	14	sandbox with encrypt\$5 and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 12:52
S5	23	re\$encrypt\$5 with secure with environment and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 12:59
S6	2	"2003163185".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 12:59

S7	2	"2003163685".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 13:00
S8	2	"20030163685".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 14:38
S9	1	"20020129245".pn. and cipherer with stor\$5 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 14:39
S10	118218	"20020129245".pn. and c stor\$5 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 14:39
S23	918	secur\$5 with execut\$5 with environment and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 15:21
S24	2	secur\$5 with execut\$5 with environment with receiv\$5 with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 15:26
S25	60	secur\$5 with execut\$5 with environment with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 15:33
S26	35	secur\$5 with execut\$5 with environment with software and transport\$5 with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 15:45
S27	0	secur\$5 with execut\$5 with environment with software near2 key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 15:45
S28	0	secur\$5 with execut\$5 with environment with application near2 key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 15:45
S29	17	secur\$5 with execut\$5 with environment with application with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 15:55
S30	54	execut\$5 with environment with application with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 15:55
S31	37	S30 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:03
S32	3	secur\$5 with execut\$5 with environment with stor\$5 with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:12
S33	0	secur\$5 with execut\$5 with environment with load\$5 with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:12

S34	27	secur\$5 with execut\$5 with environment with load\$5 with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:13
S35	2	secur\$5 with execut\$5 with environment and 380/281. ccls. and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:31
S36	19326	secur\$5 with execut\$5 with environment key near2 encrypt\$5 near2 key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:38
S37	4391	secur\$5 with execut\$5 with environment key adj2 encrypt\$5 adj key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:36
S38	0	secur\$5 with execut\$5 with environment with key adj2 encrypt\$5 adj key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:36
S39	3	secur\$5 with execut\$5 with environment with key near2 encrypt\$5 near2 key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:40
S40	1	trusted with execut\$5 with environment with key near2 encrypt\$5 near2 key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:40
S41	1	trusted with execut\$5 with environment and 380/281. ccls. and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:41
S42	13	(trusted or secur\$5) with execut\$5 with environment with (load\$4 or stor\$5) with key with (software of application or program) and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:42
S43	2	(trusted or secur\$5) with execut\$5 with environment with (receiv\$5 or transfer\$5) with key with (software of application or program) and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 16:43
S44	35	re\$encrypt\$5 with software with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 17:29
S45	1	"20020129245".pn. and first with key with encrypted	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 17:30
S46	1	"20020129245".pn. and first with key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 18:31

S47	0	"6647495".pn. and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 18:31
S48	0	"6647495".pn. and list	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 18:31
S49	1	"6647495".pn. and plural\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 18:33
S50	1	"6647495".pn. and sequen \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/12 18:33
S51	0	secur\$5 with execut\$5 with environment with load\$5 with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/27 16:57
S52	4	secur\$5 with execut\$5 with environment with key near2 encrypt\$5 near2 key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/27 16:57
S53	25	re\$encrypt\$5 with secure with environment and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/27 16:57
S54	2	secur\$5 with execut\$5 with environment and 380/281. ccls. and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/27 16:57
S55	17	secur\$5 with execut\$5 with environment with application with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/27 16:57
S56	4	secur\$5 with execut\$5 with environment with server with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/16 15:00
S58	18	decrypt\$5 with secure with environment with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/21 14:40
S59	61	decrypt\$5 with secure with environment with content and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/21 15:07
S60	0	decrypt\$5 with secure near 3environment with content and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/21 15:07
S61	49	decrypt\$5 with secure near3 environment with content and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/21 15:07
S62	44	decrypt\$5 with secure near3 environment with content and re\$encrypt\$5 and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/21 15:08

S63	0	"20020129245".pn. and whitening with master with key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/14 10:21
S64	1	"20020129245".pn. and whitening with KEY WITH SOFTWARE	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/14 10:21
S65	1	"20020129245".pn. and master with key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/14 10:21
S66	0	"20020129245".pn. and emk with external\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/14 10:23
S67	12	sandbox with execut\$6 with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/15 08:00
S68	36	secur\$5 with execut\$5 with environment with software and transport\$5 with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/15 08:00
S69	16	(trusted or secur\$5) with execut\$5 with environment with (load\$4 or stor\$5) with key with (software of application or program) and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/15 08:00
S70	4	secur\$5 with execut\$5 with environment with server with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/15 08:00
S71	63	decrypt\$5 with secure with environment with content and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/15 08:00
S72	28	secure with environment with receiv\$5 with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 14:10
S73	27	((secur\$5 near2 environment) (tpm)) with re \$encrypt\$5 and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 14:19
S74	1	((secur\$5 near2 environment) (tpm)) with (receiv\$5 transmit\$5) with key with secur\$5 and re \$encrypt\$5 and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 14:56
S75	2	((secur\$5 near2 environment) (tpm)) with (receiv\$5 transmit\$5) with key with secur\$5 with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 14:58

S76	15	((secur\$5 near2 environment) (tpm)) with (receiv\$5 transmit\$5 provid \$5) with key with secur\$5 with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 14:58
S77	15	((secur\$5 near2 environment) (tpm)) with (receiv\$5 transmit\$5 provid \$5 load\$5) with (Secur\$5 encrypt\$3) with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 15:01
S78	0	((secur\$5 near2 environment) (tpm)) with (load\$5) with (Secur\$5 encrypt\$3) with key with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 15:01
S79	23	((secur\$5 near2 environment) (tpm)) with (load\$5) with (Secur\$5 encrypt\$3) with key and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 15:01
S80	10	(US-20020092003-\$ or US-20020129245-\$ or US-20020141582-\$ or US-20030204738-\$ or US-20030167392-\$ or US-20040101141-\$).did. or (US-5805706-\$ or US-7055040-\$ or US-6098056-\$).did. or (EP-875814-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2009/09/30 15:08
S81	4	S80 and server with key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 15:08
S82	28	((secur\$5 near2 environment) (tpm)) with (load\$5) WITH KEY and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 15:11
S83	13	RE\$ENCRYPT\$5 WITH content and content with key with receiv\$5 with secur \$9 with server and @ad<="20030203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/09/30 23:13
S84	0	"6144869".pn. and glucand	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/10/05 14:51
S85	0	"6144869".pn. and glucoband	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/10/05 14:51

S86	2	"6144869".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/10/05 14:51
S87	2	"6144869".pn. and glu\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/10/05 14:51
S88	0	glucoband.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/10/05 15:05
S89	0	gluco\$band.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/10/05 15:05

4/ 22/ 10 11:07:40 PM

C:\Documents and Settings\SChen4\My Documents\EAST\Workspaces\10771836.wsp